ELSEVIER

Journal of Alloys and Compounds 230 (1995) 121

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 230

Abraham, C., 89
Akiba, E., 100
Almeida, M., 35
Andreev, A.V., 30
Andreev, D.A., 30
Assis, O.B.G., 42

Baba, K., 94
Bartashevich, M.I., 30
Basciani, S., 63
Benedict, U., 89
Bharadwaj, S.R., 13
Binder, S., 53
Bodénan, F., 16
Branagan, D.J., 67

Corbett, J.D., 1
Cordfunke, E.H.P., 85

Darracq, S., 89
De Ridder, D.J.A., 89
Dharwadkar, S.R., 13
Dong, Z.-C., 1
Drzazga, Z., 76
D'Alessio, L., 63

Estrela, P., 35
Ettmayer, P., 53

Ferrante, M., 42
Ferro, D., 63

Ganesh, K., 23
Gladczuk, L., 76
Godinho, M., 35
Gonçalves, A.P., 35
Goto, T., 30
Gwan, P.B., L1

Hasaka, M., 94
Heathman, S., 89
Hisatsune, K., 94

Ishibashi, H., 100
Itagaki, K., 46
Ivanov, V., L5, L8

Jobic, S., 16
Jurczyk, M., L1

Kalyanaraman, R., 13
Kim, D.-Y., 46
Konings, R.J.M., 85
Kudryavtsev, Yu.V., 115
Kvačkaj, T., 42

Le Bihan, T., 89
Le Boterf, P., 16
Lengauer, W., 53
Liu, F.-J., 58
Luo, Z.P., 109

Mattenberger, K., 89
McCallum, R.W., 67
Mishra, R., 13
Morimura, T., 94
Mydlarz, T., L5, L8

Ogura, T., 100
Ohtsuka, M., 46
Ostenson, J.E., 1
Ouvrard, G., 16

Petyukh, V.M., 115
Pietzka, M.A., L10
Popiel, E., 76

Samant, M.S., 13
Savant, S.S., 13
Schuster, J.C., L10
Semenova, E.L., 115
Shah, S.S., 23
Sigaev, S.S., 30
Sinka, V., 42
Song, D.Y., 109
Spirlet, J.C., 35
Suda, S., 58
Susa, K., 100
Suski, W., 30
Szytuła, A., L5, L8

Tanaka, Y., 94
Topare, R.J., 23

Udoh, K., 94

Van der Laan, R.R., 85
Vaughey, J.T., 1
Venugopal Reddy, P., 23
Vinokurova, L., L5
Vogt, O., 89

Wally, P., 53
Winiarska, A., 76
Wochowski, K., 30

Yasuda, K., 94
Yoshida, M., 100

Zarek, W., 76
Zhang, S.Q., 109
Zhao, J.-T., 1

Elsevier Science S.A.

ELSEVIER

Journal of Alloys and Compounds 230 (1995) 123–125

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 230

Age-hardening
phase transformation in a dental Pd–Cu–Ga alloy 94

Binder phase
reaction of compact carbonitrides with liquid binder metals 53

Calciothermic reduction
formation of RE_xNi_y (RE = La, Ce, Pr or Nd) compounds by calciothermic reduction of La_2O_3, CeO_2, Pr_6O_{11} and Nd_2O_3 46
Carbon
precipitation phenomenon in stoichiometric $Nd_2Fe_{14}B$ alloys modified with titanium and titanium with carbon 67
Carbon addition
influence of carbon introduced by arc melting on the structural and magnetic properties of $RFe_{12-x}V_x$ (R = Y and Dy) 76
$CeAg_2Ge_2$
magnetic properties of $CeAg_2Ge_2$ L8
Cermet
reaction of compact carbonitrides with liquid binder metals 53
Co substitution
the effect of cobalt and nickel on transformation in TiRh 115
Crystal structure
magnetic properties of $UFe_{10}Si_2$ single crystal 35
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
Cycling behavior
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58

Diamond anvil cell
high pressure behaviour of TmTe and EuO 89
Discharge capacity
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100
Drop calorimetry
enthalpy increment measurements of PbI_2: evidence for a reversible polytypic transition 85
Durability
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100

Enthalpy increment
enthalpy increment measurements of PbI_2: evidence for a reversible polytypic transition 85
Enthalpy of formation
the standard molar enthalpy of formation of $HfMo_2O_8$ 13
EuO
high pressure behaviour of TmTe and EuO 89

F-treatment
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Free energy of formation
the standard molar enthalpy of formation of $HfMo_2O_8$ 13
Full density nanocomposite magnets
magnets produced by hot pressing $Nd_2(Fe,Co,Zr)_{14}B$–α-Fe and $Nd(Fe,Mo)_{12}N_x$–α-Fe powders L1

Hf_5Pb_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
Hf_5Sn_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
High pressure
high pressure behaviour of TmTe and EuO 89
Hot deformed magnets
upset forged Nd–Fe–B–Cu magnets 42
Hot pressing
magnets produced by hot pressing $Nd_2(Fe,Co,Zr)_{14}B$–α-Fe and $Nd(Fe,Mo)_{12}N_x$–α-Fe powders L1
Hydrogen absorbing properties
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100

Initial activation
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Interaction
reaction of compact carbonitrides with liquid binder metals 53
Interstitials
synthesis, structures and properties of cubic R_3In and R_3InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La_3In 1

Laves phase alloy
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100

Magnetic phase diagram
magnetic phase diagrams of the $TbRh_{2-x}Pd_xSi_2$ and $TbRu_{2-x}Pd_xSi_2$ systems L5
Magnetic properties
magnetic phase diagrams of the $TbRh_{2-x}Pd_xSi_2$ and $TbRu_{2-x}Pd_xSi_2$ systems L5
magnetic properties of $CeAg_2Ge_2$ L8
magnetic anisotropy of $UCo_{10}Si_2$ 30
magnetic properties of $UFe_{10}Si_2$ single crystal 35
influence of carbon introduced by arc melting on the structural and magnetic properties of $RFe_{12-x}V_x$ (R = Y and Dy) 76

Elsevier Science S.A.

Magnetocrystalline anisotropy
magnetic anisotropy of $UCo_{10}Si_2$ 30
Manganese
structure refinement and magnetic behaviour of the only selenide in the olivine group family: Mn_2SiSe_4 16
Mg-fluorinated surface
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Mg–Zn–Zr–RE alloys
strengthening effects of rare earths on wrought Mg–Zn–Zr–RE alloys 109
Microstructure
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Molybdate
the standard molar enthalpy of formation of $HfMo_2O_8$ 13
Multiphase
the multiphase effect on crystal structure, hydrogen absorbing properties and electrode performance of Sc–Zr based Laves phase alloys 100

Nb_5Sn_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
$Nd(Fe,Mo)_{12}N_x$–α-Fe
magnets produced by hot pressing $Nd_2(Fe,Co,Zr)_{14}B$–α-Fe and $Nd(Fe,Mo)_{12}N_x$–α-Fe powders L1
$Nd_2(Fe,Co,Zr)_{14}B$–α-Fe
magnets produced by hot pressing $Nd_2(Fe,Co,Zr)_{14}B$–α-Fe and $Nd(Fe,Mo)_{12}N_x$–α-Fe powders L1
$Nd_2Fe_{14}B$ alloys
precipitation phenomenon in stoichiometric $Nd_2Fe_{14}B$ alloys modified with titanium and titanium with carbon 67

Olivine
structure refinement and magnetic behaviour of the only selenide in the olivine group family: Mn_2SiSe_4 16

PbI_2
enthalpy increment measurements of PbI_2: evidence for a reversible polytypic transition 85
Pd–Cu–Ga alloy
phase transformation in a dental Pd–Cu–Ga alloy 94
Phase transformation
phase transformation in a dental Pd–Cu–Ga alloy 94
Phase transition
enthalpy increment measurements of PbI_2: evidence for a reversible polytypic transition 85
Precipitation phenomena
precipitation phenomenon in stoichiometric $Nd_2Fe_{14}B$ alloys modified with titanium and titanium with carbon 67

Rare earth compounds
magnetic phase diagrams of the $TbRh_{2-x}Pd_xSi_2$ and $TbRu_{2-x}Pd_xSi_2$ systems L5
Rare earth magnets
upset forged Nd–Fe–B–Cu magnets 42
Rare earth-Fe-V compounds
influence of carbon introduced by arc melting on the structural and magnetic properties of $RFe_{12-x}V_x$ (R = Y and Dy) 76
Rare earth-nickel compounds
formation of RE_xNi_y (RE = La, Ce, Pr or Nd) compounds by calciothermic reduction of La_2O_3, CeO_2, Pr_6O_{11} and Nd_2O_3 46
Reaction mechanism
formation of RE_xNi_y (RE = La, Ce, Pr or Nd) compounds by calciothermic reduction of La_2O_3, CeO_2, Pr_6O_{11} and Nd_2O_3 46
Reduction–diffusion method
formation of RE_xNi_y (RE = La, Ce, Pr or Nd) compounds by calciothermic reduction of La_2O_3, CeO_2, Pr_6O_{11} and Nd_2O_3 46
R_3InZ compounds
synthesis, structures and properties of cubic R_3In and R_3InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La_3In 1

Selenide
structure refinement and magnetic behaviour of the only selenide in the olivine group family: Mn_2SiSe_4 16
Semi-solid deformation
upset forged Nd–Fe–B–Cu magnets 42
Single crystal
magnetic properties of $UFe_{10}Si_2$ single crystal 35
Storability in air
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Strengthening effect of rare earths
strengthening effects of rare earths on wrought Mg–Zn–Zr–RE alloys 109
Structure
synthesis, structures and properties of cubic R_3In and R_3InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La_3In 1
Structure transformation
high pressure behaviour of TmTe and EuO 89
Sublimation enthalpy
sublimation enthalpy of tellurium tetrabromide by the torsion effusion method 63
Superconductivity
synthesis, structures and properties of cubic R_3In and R_3InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La_3In 1
Synthesis
synthesis, structures and properties of cubic R_3In and R_3InZ phases (R = Y, La; Z = B, C, N, O). The effect of interstitial Z on the superconductivity of La_3In 1

$TbRh_{2-x}Pd_xSi_2$ and $TbRu_{2-x}Pd_xSi_2$ systems
magnetic phase diagrams of the $TbRh_{2-x}Pd_xSi_2$ and $TbRu_{2-x}Pd_xSi_2$ systems L5
Tellurate
the standard molar enthalpy of formation of $HfMo_2O_8$ 13
Tellurium tetrabromide
sublimation enthalpy of tellurium tetrabromide by the torsion effusion method 63
Ternary alloys
the effect of cobalt and nickel on transformation in TiRh 115
Ternary aluminides
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10

Ternary hydrides
surface treatment effect on the low temperature hydriding behavior of Mg_2Ni 58
Titanium
precipitation phenomenon in stoichiometric $Nd_2Fe_{14}B$ alloys modified with titanium and titanium with carbon 67
Titanium carbonitride
reaction of compact carbonitrides with liquid binder metals 53
Ti_5Pb_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
Ti_5Sn_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
TmTe
high pressure behaviour of TmTe and EuO 89
Torsion effusion method
sublimation enthalpy of tellurium tetrabromide by the torsion effusion method 63
Transformations
the effect of cobalt and nickel on transformation in TiRh 115
Transmission electron microscopy
phase transformation in a dental Pd–Cu–Ga alloy 94

$UFe_{10}Si_2$
magnetic properties of $UFe_{10}Si_2$ single crystal 35
Ultrasonic velocity
elastic behaviour of some Y–Ba–Cu–O high T_c superconducting materials with various oxygen concentrations 23
Upset forging
upset forged Nd–Fe–B–Cu magnets 42
Uranium intermetallics
magnetic anisotropy of $UCo_{10}Si_2$ 30

W_5Si_3-type related crystal structure
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10

X-ray diffraction
phase transformation in a dental Pd–Cu–Ga alloy 94

Y–Ba–Cu–O, High-T_c superconductors
elastic behaviour of some Y–Ba–Cu–O high T_c superconducting materials with various oxygen concentrations 23

Zr_5Pb_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10
Zr_5Sn_2Al
new ternary aluminides T_5M_2Al having W_5Si_3-type structure L10